



## Fatigue

### References

1. Stevinson, C., Lawlor, D.A., & Fox, K.R (2004). Exercise interventions for cancer patients: Systematic review of controlled trials. *Cancer Causes and Control*, 15, 1035–1056.
2. Stricker, C.T., Drake, D., Hoyer, K.A., & Mock, V. (2004). Evidence-based practice for fatigue management in adults with cancer: Exercise as an intervention. *Oncology Nursing Forum*, 31, 963–976.
3. Courneya, K.S, & Friedenreich, C.M. (1999). Physical exercise and quality of life following cancer diagnosis: A literature review. *Annals of Behavioral Medicine*, 21, 171–179.
4. Galvao, D.A., & Newton, R.U. (2005). Review of exercise intervention studies in cancer patients. *Journal of Clinical Oncology*, 23, 899–909.
5. Knols, R., Aaronson, N.K., Uebelhart, D., Fransen, J., & Aufdemkampe, G. (2005). Physical exercise in cancer patients during and after medical treatment: A systematic review of randomized and controlled clinical trials. *Journal of Clinical Oncology*, 23, 3830–3842.
6. Oldervoll, L.M., Kaasa, S., Hjermstad, M.J., Lund, J.A., & Loge, J.H. (2004). Physical exercise results in the improved subjective well-being of a few or is effective rehabilitation for all cancer patients? *European Journal of Cancer*, 40, 951–962.
7. Schmitz, K.H., Holtzman, J., Courneya, K.S., Masse, L.C., Duval, S., & Kane, R. (2005). Controlled physical activity trials in cancer survivors: A systematic review and meta-analysis. *Cancer Epidemiology, Biomarkers and Prevention*, 14, 1588–1595.
8. National Comprehensive Cancer Network. (2005). *NCCN clinical practice guidelines in oncology, version 2.2005*. Jenkintown, PA: Author.
9. Barsevick, A.M., Dudley, W., Beck, S., Sweeney, C., Whitmer, K., & Nail, L. (2004). A randomized clinical trial of energy conservation for patients with cancer-related fatigue. *Cancer*, 100, 1302–1310.
10. Given, B., Given, C.W., McCorkle, R., Kozachik, S., Cimprich, B., Rahbar, M.H., et al. (2002). Pain and fatigue management: Results of a nursing randomized clinical trial. *Oncology Nursing Forum*, 29, 949–956.
11. Yates, P., Aranda, S., Hargraves, M., Mirolo, B., Clavarino, A., McLachlan, S., et al. (2005). Randomized controlled trial of an educational intervention for managing fatigue in

## Fatigue

### References

- women receiving adjuvant chemotherapy for early-stage breast cancer. *Journal of Clinical Oncology*, 23, 6027–6036.
12. Fawzy, N. (1995). A psychoeducational nursing intervention to enhance coping and affective state in newly diagnosed malignant melanoma patients. *Cancer Nursing*, 18, 427–438.
  13. Kim, Y., Roscoe, J.A., & Morrow, G.R. (2002). The effects of information and negative affect on severity of side effects from radiation therapy for prostate cancer. *Supportive Care in Cancer*, 10, 416–421.
  14. Allison, P.J., Edgar, L., Nicolau, B., Archer, J., Black, M., & Hier, M. (2004). Results of a feasibility study for a psycho-educational intervention in head and neck cancer. *Psycho-Oncology*, 13, 482–485.
  15. Ream, E., Richardson, A., & Alexander-Dann, C. (2002). Facilitating patients' coping with fatigue during chemotherapy-pilot outcomes. *Cancer Nursing*, 25, 300–308.
  16. Berger, A.M., VonEssen, S., Khun, B.R., Piper, B.F., Farr, L., Agrawal, S., et al. (2002). Feasibility of a sleep intervention during adjuvant breast cancer chemotherapy. *Oncology Nursing Forum*, 29, 1431–1441.
  17. Berger, A.M., VonEssen, S., Kuhn, B.R., Piper, B.F., Agrawal, S., Lynch, J.C., et al. (2003). Adherence, sleep, and fatigue outcomes after adjuvant breast cancer chemotherapy: Results of a feasibility intervention study. *Oncology Nursing Forum*, 30, 513–522.
  18. Davidson, J.R., Waisberg, J.L., Brundage, M.D., & MacLean, A.W. (2001). Nonpharmacologic group treatment of insomnia: A preliminary study with cancer survivors. *Psychooncology*, 10, 389–397.
  19. Quesnel, C., Savard, J., Simard, S., Ivers, H., & Morin, C.M. (2003). Efficacy of cognitive-behavioral therapy for insomnia in women treated for nonmetastatic breast cancer. *Journal of Consulting and Clinical Psychology*, 71, 189–200.
  20. Savard, J., Simard, S., Ivers, H., & Morin, C.M. (2005). Randomized study on the efficacy of cognitive-behavioral therapy for insomnia secondary to breast cancer, part I: Sleep and psychological effects. *Journal of Clinical Oncology*, 23, 6083–6096.



## Fatigue

### References

21. Decker, T.W., Cline-Elsen, J., & Gallagher, M. (1992). Relaxation therapy as an adjunct in radiation oncology. *Journal of Clinical Psychology, 48*, 388–393.
22. Kim, S.D., & Kim, H.S. (2005). Effects of a relaxation breathing exercise on fatigue in hematopoietic stem cell transplantation patients. *Journal of Clinical Nursing, 14*, 51–55.
23. Post-White, J., Kinney, M.E., Savik, K., Gau, J.B., Wilcox, C., & Lerner, I. (2003). Therapeutic massage and healing touch improve symptoms in cancer. *Integrative Cancer Therapies, 2*, 332–344.
24. Ahles, T.A., Tope, D.M., Pinkson, B., Walch, S., Hann, D., Whedon, M., et al. (1999). Massage therapy for patients undergoing autologous bone marrow transplantation. *Journal of Pain and Symptom Management, 18*, 157–163.
25. Cassileth, B.R., & Vickers, A.J. (2004). Massage therapy for symptom control: Outcome study at a major cancer center. *Journal of Pain and Symptom Management, 28*, 244–249.
26. Roscoe, J.A., Matteson, S.E., Mustian, K.M., Padmanaban, D., & Morrow, G.R. (2005). Treatment of radiotherapy-induced fatigue through a nonpharmacological approach. *Integrative Cancer Therapies, 4*, 8–13.
27. Bohlius, J., Langensiepen, S., Schwarzer, G., Seidenfeld, J., Piper, M., Bennet, C., et al. (2004). Erythropoietin for patients with malignant disease. *Cochrane Database of Systematic Reviews, 3*, CD003407.
28. Djulbegovic, B. (2005). Erythropoietin use in oncology: A summary of the evidence and practice guidelines comparing efforts of the Cochrane Review group and Blue Cross/Blue Shield to set up the ASCO/ASH guidelines. *Best Practice and Research. Clinical Haematology, 18*, 455–466.
29. Cella, D., Dobrez, D., & Glaspy, J. (2003). Control of cancer-related anemia with erythropoietic agents: A review of evidence for improved quality of life and clinical outcomes. *Annals of Oncology, 14*, 511–519.
30. Bottomley, A., Thomas, R., van Steen, K., Flechtner, H., & Djulbegovic, B. (2002). Human recombinant erythropoietin and quality of life: A wonder drug or something to wonder about? *Lancet Oncology, 3*, 145–153.



## Fatigue

### References

31. Stasi, R., Amadori, S., Littlewood, T.J., Terzoli, E., Newland, A.C., & Provan, D. (2005). Management of cancer-related anemia with erythropoietic agents: Doubts, certainties, and concerns. *Oncologist, 10*, 539–554.
32. Glaspy, J.A. (2005). The development of erythropoietic agents in oncology. *Expert Opinion in Emergency Drugs, 10*, 553–567.
33. Steensma, D.P., & Loprinzi, C.L. (2005). Erythropoietin use in cancer patients: A matter of life and death? *Journal of Clinical Oncology, 23*, 5865–5868.
34. Goodwin, P.J., Leszcz, M., Ennis, M., Koopmans, J., Vincent, L., Guthrie, H., et al. (2001). The effect of group psychosocial support on survival in metastatic breast cancer. *New England Journal of Medicine, 345*, 1719–1726.
35. Boesen, E.H., Ross, L., Frederiksen, K., Thomsen, B.L., Dahlstrom, K., Schmidt, G., et al. (2005). Psychoeducational intervention for patients with cutaneous malignant melanoma: A replication study. *Journal of Clinical Oncology, 23*, 1270–1277.
36. Levesque, M., Savard, J., Simard, S., Gauthier, J.G., & Ivers, H. (2004). Efficacy of cognitive therapy for depression among women with metastatic cancer: A single-case experimental study. *Journal of Behavior Therapy and Experimental Psychiatry, 35*, 287–305.
37. Courneya, K.S., Friedenreich, C.M., Sela, R.A., Quinney, H.A., Rhodes, R.E., & Handman, M. (2003). The group psychotherapy and home-based physical exercise (group-hope) trial in cancer survivors: Physical fitness and quality of life outcomes. *Psycho-Oncology, 12*, 357–374.
38. de Moor, C., Sterner, J., Hall, M., Warneke, C., Gilani, Z., Amato, R., et al. (2002). A pilot study of the effects of expressive writing on psychological and behavioral adjustment in patients enrolled in a phase II trial of vaccine therapy for metastatic renal cell carcinoma. *Health Psychology, 21*, 615–619.
39. Weitzner, M.A., Moncello, J., Jacobsen, P.B., & Minton, S. (2002). A pilot trial of paroxetine for the treatment of hot flashes and associated symptoms in women with breast cancer. *Journal of Pain and Symptom Management, 23*, 337–345.

## Fatigue

### References

40. Capuron, L., Gumnick, J.F., Musselman, D.L., Lawson, D.H., Reemsnyder, A., Nemeroff, C.B., et al. (2002). Neurobehavioral effects of interferon-alpha in cancer patients: Phenomenology and paroxetine responsiveness of symptom dimensions. *Neuropsychopharmacology*, *26*, 643–652.
41. Sarhill, N., Walsh, D., Nelson, K.A., Willey, J., Shen, L., Palmer, J.L., et al. (2001). Methylphenidate for fatigue in advanced cancer: A prospective open-label pilot study. *American Journal of Hospice and Palliative Care*, *18*, 187–192.
42. Bruera, E., Strasser, F., Shen, L., Palmer, J.L., Willey, J., Driver, L.C., et al. (2003). The effect of donepezil on sedation and other symptoms in patients receiving opioids for cancer pain: A pilot study. *Journal of Pain and Symptom Management*, *26*, 1049–1054.
43. Caraceni, A., & Simonetti, F. (2004). Psychostimulants: New concepts for palliative care from the modafinil experience? *Journal of Pain and Symptom Management*, *28*, 97–99.
44. Cullum, J.L., Wojciechowski, A.E., Pelletier, G., & Simpson, J.S. (2004). Bupropion sustained release treatment reduces fatigue in cancer patients. *Canadian Journal of Psychiatry*, *49*, 139–144.
45. Moss, E.L., Simpson, J.S., Pelletier, G., & Forsyth, P. (2006). An open-label study of the effects of bupropion SR on fatigue, depression and quality of life of mixed-site cancer patients and their partners. *Psycho-Oncology*, *15*, 259–267.
46. Cohen, L., Warneke, C., Fouladi, R.T., Rodriguez, M.A., & Chaoul-Reich, A. (2004). Psychological adjustment and sleep quality in a randomized trial of the effects of a Tibetan yoga intervention in patients with lymphoma. *Cancer*, *100*, 2253–2260.
47. Vickers, A.J., Straus, D.J., Fearon, B., & Cassileth, B.R. (2004). Acupuncture for postchemotherapy fatigue: A phase II study. *Journal of Clinical Oncology*, *22*, 1731–1735.
48. Gadsby, J.G., Franks, A., Jarvis, P., & Dewhurst, F. (1997). Acupuncture-like transcutaneous electrical nerve stimulation within palliative care: A pilot study. *Complementary Therapies in Medicine*, *5*, 13–18.



## Fatigue

### References

49. Schneider, S.M., Ellis, M., Coombs, W.T., Shonkwiler, E.L., & Folsom, L.C. (2003). Virtual reality intervention for older women with breast cancer. *Cyberpsychology and Behavior*, 6, 301–307.
50. Schneider, S.M., Prince-Paul, M., Allen, M.J., Silverman, P., & Talaba, D. (2004). Virtual reality as a distraction intervention for women receiving chemotherapy. *Oncology Nursing Forum*, 31, 81–88.
51. Oyama, H., Kaneda, M., Katsumata, N., Akechi, T., & Ohsuga, M. (2000). Using the bedside wellness system during chemotherapy decreases fatigue and emesis in cancer patients. *Journal of Medical Systems*, 24, 173–182.
52. Oyama, H., Ohsuga, M., Tatsuno, Y., & Katsumata, H. (1999). Evaluation of the psycho-oncological effectiveness of the bedside wellness system. *Cyberpsychology and Behavior*, 2(1), 81–84.
53. Cruciani, R.A., Dvorkin, E., Homel, P., Culliney, B., Malamud, S., Shaiova, L., et al. (2004). L-carnitine supplementation for the treatment of fatigue and depressed mood in cancer patients with carnitine deficiency: A preliminary analysis. *Annals of the New York Academy of Science*, 1033, 168–176.
54. Graziano, F., Bisonni, R., Catalano, V., Silva, R., Rovidati, S., Mencarini, E., et al. (2002). Potential role of levocarnitine supplementation for the treatment of chemotherapy-induced fatigue in non-anaemic cancer patients. *British Journal of Cancer*, 86, 1854–1857.
55. Agteresch, H.J., Dagnelie, P.C., van der Gaast, A., Stijnen, T., & Wilson, J.H. (2000). Randomized clinical trial of adenosine 5'-triphosphate in patients with advanced non-small-cell lung cancer. *Journal of the National Cancer Institute*, 92, 321–328.
56. Bruera, E., Strasser, F., Palmer, J.L., Willey, J., Calder, K., Amyotte, G., et al. (2003). Effect of fish oil on appetite and other symptoms in patients with advanced cancer and anorexia/cachexia: A double-blind, placebo-controlled study. *Journal of Clinical Oncology*, 21, 129–134.

## Fatigue

### References

57. Kohara, H., Miyauchi, T., Suehiro, Y., Ueoka, H., Takeyama, H., & Morita, T. (2004). Combined modality treatment of aromatherapy, footsoak, and reflexology relieves fatigue in patients with cancer. *Journal of Palliative Medicine*, 7, 791–796.
58. Cerchietti, L.C., Navigante, A.H., Peluffo, G.D., Diament, M.J., Stillitani, I., Klein, S.A., et al. (2004). Effects of celecoxib, medroxyprogesterone, and dietary intervention on systemic syndromes in patients with advanced lung adenocarcinoma: A pilot study. *Journal of Pain and Symptom Management*, 27, 85–95.
59. Jensen, M.B., & Hesselov, I. (1997). Randomization to nutritional intervention at home did not improve postoperative function, fatigue or well-being. *British Journal of Surgery*, 84, 113–118.
60. Nail, L.M. (2002). Fatigue in patients with cancer. *Oncology Nursing Forum*, 29, 537.
61. Nail, L.M. (2004). My get up and go got up and went: Fatigue in people with cancer. *Journal of the National Cancer Institute Monographs*, 32, 72–75.
62. Stasi, R., Abriani, L., Beccaglia, P., Terzoli, E., & Amadori, S. (2003). Cancer-related fatigue: Evolving concepts in evaluation and treatment. *Cancer*, 98, 1786–1801.
63. Wagner, L.I., & Cella, D. (2004). Fatigue and cancer: Causes, prevalence and treatment approaches. *British Journal of Cancer*, 91, 822–828.
64. Mock, V. (2004). Evidence-based treatment for cancer-related fatigue. *Journal of the National Cancer Institute Monographs*, 32, 112–118.
65. Ahlberg, K., Ekman, T., Gaston-Johansson, F., & Mock, V. (2003). Assessment and management of cancer-related fatigue in adults. *Lancet*, 362, 640–650.
66. Kumar, N., Allen, K.A., Riccardi, D., Bercu, B.B., Cantor, A., Minton, S., et al. (2004). Fatigue, weight gain, lethargy and amenorrhea in breast cancer patients on chemotherapy: Is subclinical hypothyroidism the culprit? *Breast Cancer Research and Treatment*, 83, 149–159.
67. Morrow, G.R., Shelke, A.R., Roscoe, J.A., Hickok, J.T., & Mustian, K. (2005). Management of cancer-related fatigue. *Cancer Investigation*, 23, 229–239.



## Fatigue

### References

68. Shafqat, A., Einhorn, L.H., Hanna, N., Sledge, G.W., Hanna, A., Juliar, B.E., et al. (2005). Screening studies for fatigue and laboratory correlates in cancer patients undergoing treatment. *Annals of Oncology*, *16*, 1545–1550.
69. Kalman, D., & Villani, L.J. (1997). Nutritional aspects of cancer-related fatigue. *Journal of the American Dietetic Association*, *97*, 650–654.
70. Cimprich, B. (1993). Development of an intervention to restore attention in cancer patients. *Cancer Nursing*, *16*, 83–92.
71. Cimprich, B., & Ronis, D.L. (2003). An environmental intervention to restore attention in women with newly diagnosed breast cancer. *Cancer Nursing*, *26*, 284–292.
72. Stark, M.A., & Cimprich, B. (2003). Promoting attentional health: Importance to women's lives. *Health Care for Women International*, *24*, 93–102.
73. Lawrence, D.P., Kupelnick, B., Miller, K., Devine, D., & Lau, J. (2004). Evidence report on the occurrence, assessment, and treatment of fatigue in cancer patients. *Journal of the National Cancer Institute Monographs*, *32*, 40–50.
74. Iop, A., Manfredi, A.M., & Bonura, S. (2004). Fatigue in cancer patients receiving chemotherapy: An analysis of published studies. *Annals of Oncology*, *15*, 712–720.
75. Mock, V. (2003). Clinical excellence through evidence-based practice: Fatigue management as a model. *Oncology Nursing Forum*, *30*, 787–796.
76. Mock, V., & Olsen, M. (2003). Current management of fatigue and anemia in patients with cancer. *Seminars in Oncology Nursing*, *19*, 36–41.
77. Winningham, M.L. (2001). Strategies for managing cancer-related fatigue syndrome: A rehabilitation approach. *Cancer*, *92*(4, Suppl.), 988–997.
78. Humpel, N., & Iverson, D.C. (2005). Review and critique of the quality of exercise recommendations for cancer patients and survivors. *Supportive Care in Cancer*, *13*, 493–502.
79. Barsevick, A.M., Whitmer, K., Sweeney, C., & Nail, L.M. (2002). A pilot study examining energy conservation for cancer treatment-related fatigue. *Cancer Nursing*, *25*, 333–341.

## Fatigue

### References

80. Williams, S.A., & Schreier, A.M. (2005). The role of education in managing fatigue, anxiety, and sleep disorders in women undergoing chemotherapy for breast cancer. *Applied Nursing Research, 18*, 138–147.
81. Carlson, L.E., & Garland, S.N. (2005). Impact of mindfulness-based stress reduction (mbsr) on sleep, mood, stress and fatigue symptoms in cancer outpatients. *International Journal of Behavioral Medicine, 12*, 278–285.
82. Bottomley, A., Thomas, R., Van Steen, K., Flechtner, H., & Djulbegovic, B. (2002). Erythropoietin improves quality of life—A response. *Lancet Oncology, 3*, 527.
83. Littlewood, T.J., Cella, D., & Nortier, J.W. (2002). Erythropoietin improves quality of life. *Lancet Oncology, 3*, 459–460.
84. Bohlius, J., Langensiepen, S., Schwarzer, G., Seidenfeld, J., Piper, M., Bennett, C., et al. (2005). Recombinant human erythropoietin and overall survival in cancer patients: Results of a comprehensive meta-analysis. *Journal of the National Cancer Institutes, 97*, 489–498.
85. Dalton, J.A., Keefe, F.J., Carlson, J., & Youngblood, R. (2004). Tailoring cognitive behavioral treatment for cancer pain. *Pain Management Nursing, 5*(1), 3–18.
86. Fawzy, F.I., Cousins, N., Fawzy, N.W., Kemeny, M.E., Elashoff, R., & Morton, D. (1990). A structured psychiatric intervention for cancer patients. I. Changes over time in methods of coping and affective disturbance. *Archives of General Psychiatry, 47*, 720–725.
87. Lindemalm, C., Strang, P., & Lekander, M. (2005). Support group for cancer patients. Does it improve their physical and psychological wellbeing? A pilot study. *Supportive Care in Cancer, 13*, 652–657.
88. Morrow, G.R., Hickok, J.T., Roscoe, J.A., Raubertas, R.F., Andrews, P.L., Flynn, P.J., et al. (2003). Differential effects of paroxetine on fatigue and depression: A randomized, double-blind trial from the University of Rochester cancer center community clinical oncology program. *Journal of Clinical Oncology, 21*, 4635–4641.



## Fatigue

### References

89. Roscoe, J.A., Morrow, G.R., Hickok, J.T., Mustian, K.M., Griggs, J.J., Matteson, S.E., et al. (2005). Effect of paroxetine hydrochloride (paxil) on fatigue and depression in breast cancer patients receiving chemotherapy. *Breast Cancer Research and Treatment*, *89*, 243–249.
90. Bruera, E., Driver, L., Barnes, E.A., Willey, J., Shen, L., Palmer, J.L., et al. (2003). Patient-controlled methylphenidate for the management of fatigue in patients with advanced cancer: A preliminary report. *Journal of Clinical Oncology*, *21*, 4439–4443.
91. Hanna, A., Sledge, G., Mayer, M.L., Hanna, N., Einhorn, L., Monahan, P., et al. (2006). A phase II study of methylphenidate for the treatment of fatigue. *Supportive Care in Cancer*, *14*, 210–215.
92. Sugawara, Y., Akechi, T., Shima, Y., Okuyama, T., Akizuki, N., Nakano, T., et al. (2002). Efficacy of methylphenidate for fatigue in advanced cancer patients: A preliminary study. *Palliative Medicine*, *16*, 261–263.
93. Schwartz, A.L., Thompson, J.A., & Masood, N. (2002). Interferon-induced fatigue in patients with melanoma: A pilot study of exercise and methylphenidate [Online exclusive]. *Oncology Nursing Forum*, *29*, E85–E90.
94. Cox, J.M., & Pappagallo, M. (2001). Modafinil: A gift to portmanteau. *American Journal of Hospice and Palliative Care*, *18*, 408–410.
95. Kumar, N., Allen, K.A., Riccardi, D., Bercu, B.B., Cantor, A., Minston, S., et al. (2004). Fatigue, weight gain, lethargy and amenorrhea in breast cancer patients on chemotherapy: Is subclinical hypothyroidism the culprit? *Breast Cancer Research and Treatment*, *83*, 149–159.
96. Cella, D., Davis, K., Breitbart, W., Curt, G. (2001). Cancer-related fatigue: Prevalence of proposed diagnostic criteria in a United States sample of cancer survivors. *Journal of Clinical Oncology*, *19*, 3385–3391.
97. Haase, O., Schwenk, W., Hermann, C., & Muller, J.M. (2005). Guided imagery and relaxation in conventional colorectal research: A randomized, controlled, partially blinded trial. *Diseases of the Colon and Rectum*, *48*, 427–438.



## Fatigue

### References

98. Grahn, G. (1993). "Learning to cope"—An intervention in cancer care. *Supportive Care in Cancer, 1*, 266–271.
99. Morin, C.M., Kowatch, R.A., Barry, T., & Walton, E. (1993). Cognitive-behavior therapy for late-life insomnia. *Journal of Consulting and Clinical Psychology, 61*, 137–146.
100. Vale, S. (2004). Is methylphenidate an irreplaceable therapy for the fatigued cancer patient? *Journal of Clinical Oncology, 22*, 4028.
101. Bruera, E. (2004). In reply. *Journal of Clinical Oncology, 22*, 4029.
102. Morrow, G.R., Andrews, P.L., Hickok, J.T., Roscoe, J.A., & Matteson, S. (2002). Fatigue associated with cancer and its treatment. *Supportive Care in Cancer, 10*, 389–398.
103. Rychetnik, L., Frommer, M., Hawe, P., & Shiell, A. (2002). Criteria for evaluating evidence on public health interventions. *Journal of Epidemiology and Community Health, 56*, 119–127.
104. Mock, V. (2001). Fatigue management: Evidence and guidelines for practice. *Cancer, 92*, 1699–1707.
105. Redd, W.H., Montgomery, G.H., & DuHamel, K.N. (2001). Behavioral intervention for cancer treatment side effects. *Journal of the National Cancer Institute, 93*, 810–823.
106. Gonzalez-Pinto, A., Gonzalez, C., Enjuto, S., Fernandez de Corres, B., Lopez, P., Palomo, J., et al. (2004). Psychoeducation and cognitive-behavioral therapy in bipolar disorder: An update. *Acta Psychiatrica Scandinavica, 109*, 83–90.
107. Lundh, L. (2000). An integrative model for the analysis and treatment of insomnia. *Scandinavian Journal of Behaviour Therapy, 29*, 118–126.
108. Brooks, G.A., Fahey, T.D., White, T.P., Baldwin, K.M. (2000). *Exercise physiology: Human bioenergetics and its applications*. Mountain View, CA: Mayfield.
109. Courneya, K.S., Vallance, J.K., McNeely, M.L., Karvinen, K.H., Peddle, C.J., Mackey, J.R. (2004). Exercise issues in older cancer survivors. *Critical Reviews in Oncology and Hematology, 51*, 249–261.



## Fatigue

### References

110. National Center for Complementary and Alternative Medicine. (2006). What is complementary and alternative medicine? Retrieved March 16, 2006, from <http://nccam.nih.gov/health/whatiscam/#d7>
111. Fellowes, D., Barnes, K., & Wilkinson, S. (2005). Aromatherapy and massage for symptom relief in patients with cancer. *Cochrane Database of Systematic Reviews*, 2, 1–18.
112. Molassiotis, A., Yung, H.D., Yam, B.M., Chan, F.Y. & Mok, T.S. (2002). The effects of progressive muscle relaxation training in managing chemotherapy-induced nausea and vomiting in Chinese breast cancer patients: A randomized controlled trial. *Supportive Care in Cancer*, 10, 237–246.
113. Morin, C., Culbert, J., & Schwartz, S. (1994). Nonpharmacological interventions for insomnia: A meta-analysis of treatment efficacy. *American Journal of Psychiatry*, 151, 1172–1180.
114. Shapiro, S.L., Bootzin, R.R., Figueredo, A.J., Lopez, A.M., & Schwartz, G.E. (2003). The efficacy of mindfulness-based stress reduction in the treatment of sleep disturbance in women with breast cancer: An exploratory study. *Journal of Psychosomatic Research*, 54, 85–91.
115. Poznanski-Hutchinson, C. (1999). Healing touch: An energetic approach. *American Journal of Nursing*, 99, 43–48.
116. Mentgen, J. (1996). The clinical practice of healing touch. *Imprint*, 43, 33–36.
117. Mentgen, J. (2001). Healing touch. *Holistic Nursing Care*, 36, 143–157.
118. Cimprich, B. (1993). Development of an intervention to restore attention in cancer patients. *Cancer Nursing*, 16, 83–92.