

Prevention of Infection

References

- Aapro, M.S., Cameron, D.A., Pettengell, R., Bohlius, J., Crawford, J., Ellis, M., et al. (2006). EORTC guidelines for the use of granulocyte-colony stimulating factor to reduce the incidence of chemotherapy-induced febrile neutropenia in adult patients with lymphomas and solid tumours. *European Journal of Cancer*, 42(15), 2433–2453.
- Bohlius, J., Herbst, C., Reiser, M., Schwarzer, G. & Engert, A. (2008). Granulopoiesis-stimulating factors to prevent adverse effects in the treatment of malignant lymphoma. *Cochrane Database of Systematic reviews*, 4, CD003189. DOI:10.1002/14651858.CD003189.pub4.
- Bow, E.J., Laverdiere, M., Lussier, N., Rotstein, C., Cheang, M.S., Ioannou, S. (2002). Antifungal prophylaxis for severely neutropenic chemotherapy recipients: A meta analysis of randomized-controlled clinical trials. *Cancer*, 94, 3230-3246.
- Boyce, J.M., Pittet, D., & Healthcare Infection Control Practices Advisory Committee. Society for Healthcare Epidemiology of America. Association for Professionals in Infection Control. Infectious Diseases Society of America. Hand Hygiene Task Force. (2002). Guideline for hand hygiene in health-care settings: Recommendations of the Healthcare Infection Control Practices Advisory Committee and the HICPAC/SHEA/APIC/IDSA Hand Hygiene Task Force. *Infection Control and Hospital Epidemiology*, 23(12 Suppl), S3–S40.
- Branda, R.F., Naud, S.J., Brooks, E.M., Chen, Z., & Muss, H. (2004). Effect of vitamin B12, folate, and dietary supplements on breast carcinoma chemotherapy-induced mucositis and neutropenia. *Cancer*, 101, 1058–1064.
- Bucaneve, G., Micozzi, A., Menichetti, F., Martino, P., Dionisi, M.S., Martinelli, G., et al. (2005). Levofloxacin to prevent bacterial infection in patients with cancer and neutropenia. *New England Journal of Medicine*, 353, 977–987.
- Chaudhury, H., Mahmood, A. & Valente, M. (2003). The use of single patient rooms vs. multiple occupancy rooms in acute care environments : A review and analysis of the literature. American Institute of Architects Guidelines for design and construction of health care facilities. Retrieved June 8, 2008 from http://www.aia.org/SiteObjects/files/04_Review_and_Anal_Literature.pdf.
- Clarkson, J.E., Worthington, H.V., & Eden, O.B. (2007). Interventions for preventing oral candidiasis for patients with cancer receiving treatment. *Cochrane Database of Systematic Reviews*, 1, CD003807. DOI: 10.1002/14651858.CD003807.pub3
- Cornely, O.A., Maertens, J., Winston, D.J., Perfect, J., Ullmann, A.J., Walsh, T.J., et al. (2007). Posaconazole vs. fluconazole or itraconazole prophylaxis in patients with neutropenia. *New England Journal of Medicine*, 356(4), 348–359.
- Cornely, O.A., Ullmann, A.J., & Karthaus, M. (2003). Evidence-based assessment of primary antifungal prophylaxis in patients with hematologic malignancies. *Blood*, 101(9), 3365–3372.
- Cruciani, M., Malena, M., Bosco, O., Nardi, S., Serpelloni, G., & Mengoli, C. (2003). Reappraisal with meta-analysis of the addition of gram-positive prophylaxis to fluoroquinolone in neutropenic patients. *Journal of Clinical Oncology*, 21(22), 4127–4137.
- Cruciani, M., Rampazzo, R., Malena, M., Lazzarini, L., Todeschini, G., Messori, A., et al. (1996). Prophylaxis with fluoroquinolones for bacterial infections in neutropenic patients: A meta-analysis. *Clinical Infectious Diseases*, 23(4), 795–805.
- Cullen, M. H., Billingham, L. J., Gaunt, C. H., & Steven, N. M. (2007). Rational Selection of Patients for Antibacterial Prophylaxis After Chemotherapy. *J Clin Oncol*, 25(30), 4821-4828.
- Cullen, M., Steven, N., Billingham, L., Gaunt, C., Hastings, M., Simmonds, P., et al. (2005). Antibacterial prophylaxis after chemotherapy for solid tumors and lymphomas. *New England Journal of Medicine*, 353, 988–998.
- DeMille, D., Deming, P., Lupinacci, P., & Jacobs, L. (2006). The effect of the neutropenic diet in the outpatient setting: A pilot study. *Oncology Nursing Forum*, 33, 337-343.
- Engels, E.A., Lau, J., & Barza, M. (1998). Efficacy of quinolone prophylaxis in neutropenic cancer patients: A meta-analysis. *Journal of Clinical Oncology*, 16, 1179–1187.

Prevention of Infection

References

- Gafter-Gvili, A., Fraser, A., Paul, M., & Leibovici, L. (2005). Meta-analysis: Antibiotic prophylaxis reduces mortality in neutropenic patients. *Annals of Internal Medicine*, 142(12, Pt. 1), 979–995.
- Gafter-Gvili, A., Paul, M., Fraser, A., & Leibovici, L. (2007). Effect of quinolone prophylaxis in afebrile neutropenic patients on microbial resistance: Systematic review and meta-analysis. *Journal of Antimicrobial Chemotherapy*, 59(1), 5–22.
- Gardner, A., Mattiuzzi, G., Faderl, S., Borthakur, G., Garcia-Manero, G., Pierce, S., Brandt, M. & Estey E. (2008). Randomized comparison of cooked and noncooked diets in patients undergoing remission induction therapy for acute myeloid leukemia. *Journal of Clinical Oncology*, 26(35), 5684-5688.
- Glasmacher, A., Prentice, A., Gorschluter, M., Engelhart, S., Hahn, C., Djulbegovic, B., et al. (2003). Itraconazole prevents invasive fungal infections in neutropenic patients treated for hematologic malignancies: Evidence from a meta-analysis of 3,597 patients. *Journal of Clinical Oncology*, 21(24), 4615–4626.
- Gotzsche, P.C., & Johansen, H.K. (2002). Routine versus selective antifungal administration for control of fungal infections in patients with cancer. *Cochrane Database of Systematic Reviews* 2002, Issue 2. Art. No.: CD000026. DOI: 10.1002/14651858.CD000026.
- Hilburn, J., Hammond, B.S., Fendler, E.J., & Groziak, P.A. (2003). Use of alcohol hand sanitizer as an infection control strategy in an acute care facility. *American Journal of Infection Control*, 31, 109–116.
- Hughes, W.T., Armstrong, D., Bodey, G.P., Bow, E.J., Brown, A.E., Calandra, T., et al. (2002). 2002 guidelines for the use of antimicrobial agents in neutropenic patients with cancer. *Clinical Infectious Diseases*, 34, 730–751.
- Johansen, H.K., & Gotzsche, P.C. (2000). Amphotericin B lipid soluble formulations vs amphotericin B in cancer patients with neutropenia. *Cochrane Database of Systematic Reviews* 2000, Issue 3. Art. No.: CD000969. DOI: 10.1002/14651858.CD000969.
- Johansen, H.K., & Gotzsche, P.C. (2002). Amphotericin B vs fluconazole for controlling fungal infections in neutropenic cancer patients. *Cochrane Database of Systematic Reviews* 2002, Issue 2. Art. No.: CD000239. DOI: 10.1002/14651858.CD000239.
- Kanda, Y., Yamamoto, R., Chizuka, A., Hamaki, T., Suguro, M., Arai, C., et al. (2000). Prophylactic action of oral fluconazole against fungal infection in neutropenic patients. A meta-analysis of 16 randomized, controlled trials. *Cancer*, 89(7), 1611–1625.
- Kidd, F., Buttner, C., & Kressel, A.B. (2007). Construction: A model program for infection control compliance. *American Journal of Infection Control*, 35(5), 347-350.
- Kuderer, N.M., Dale, D.C., Crawford, J., & Lyman, G.H. (2007). Impact of primary prophylaxis with granulocyte colony-stimulating factor on febrile neutropenia and mortality in adult cancer patients receiving chemotherapy: A systematic review. *Journal of Clinical Oncology*, 25(21), 3158–3167.
- Lalami, Y., Paesmans, M., Aoun, M., Munoz-Bermeo, R., Reuss, K., Cherifi, S., et al. (2004). A prospective randomised evaluation of G-CSF or G-CSF plus oral antibiotics in chemotherapy-treated patients at high risk of developing febrile neutropenia. *Supportive Care in Cancer*, 12, 725–730.
- Larson, E., & Nirenberg, A. (2004). Evidence-based nursing practice to prevent infection in hospitalized neutropenic patients with cancer. *Oncology Nursing Forum*, 31(4), 717–725.
- Lyman, G.H., Kuderer, N., Agboola, O., & Balducci, L. (2003). Evidence-based use of colony-stimulating factors in elderly cancer patients. *Cancer Control*, 10(6), 487–499.
- Lyman, G.H., Kuderer, N.M., & Djulbegovic, B. (2002). Prophylactic granulocyte colony-stimulating factor in patients receiving dose-intensive cancer chemotherapy: A meta-analysis. *American Journal of Medicine*, 112(5), 406–411.
- Mank, A.P., & Davies, M. (2008). Examining low bacterial dietary practice: A survey on low bacterial food. *European Journal of Oncology Nursing*, doi:10.1016/j.ejon.2008.03.005, 1-7.

Prevention of Infection

References

- Montecalvo, M.A., Jarvis, W.R., Uman, J., Shay, D.K., Petrullo, C., Rodney, K., et al. (1999). Infection-control measures reduce transmission of vancomycin-resistant enterococci in an endemic setting. *Annals of Internal Medicine*, 131(4), 269–272.
- Moody, K., Finlay, J., Mancuso, C., & Charlson, M. (2006). Feasibility and safety of a pilot randomized trial of infection rate: Neutropenic diet versus standard food safety guidelines. *Journal of Pediatric Hematology/Oncology*, 28, 126-133.
- National Comprehensive Cancer Network. (2005). National Comprehensive Cancer Network clinical practice guidelines in oncology: Myeloid growth factors—v. 2.2005. Retrieved February 20, 2006, from http://www.nccn.org/professionals/physician_gls/PDF/myeloid_growth.pdf
- National Comprehensive Cancer Network (2008). National Comprehensive Cancer Network Clinical Practice Guidelines in Oncology: Prevention and treatment of cancer-related infections – v.1.2008. Retrieved May 25, 2009 from http://www.nccn.org/professionals/physician_gls/PDF/infections.pdf.
- National Comprehensive Cancer Network. (2005). National Comprehensive Cancer Network clinical practice guidelines in oncology: Fever and neutropenia—v.1.2005. Retrieved February 20, 2006, from http://www.nccn.org/professionals/physician_gls/PDF/fever.pdf
- Nauseef, W.M., & Maki, D.G. (1981). A study of the value of simple protective isolation in patients with granulocytopenia. *New England Journal of Medicine*, 304, 448–453.
- Ring, A., Marx, G., Steer, C., & Harper, P. (2002). Influenza vaccination and chemotherapy: A shot in the dark? *Supportive Care in Cancer*, 10(6), 462–465.
- Sehulster, L., & Chinn, R.Y. (2003). Guidelines for environmental infection control in health-care facilities: Recommendations of CDC and the Healthcare Infection Control Practices Advisory Committee (HICPAC). *Morbidity and Mortality Weekly Report. Recommendations and Reports*, 52(RR-10), 1–42.
- Shaikh, Z.H., Osting, C.A., Hanna, H.A., Arbuckle, R.B., Tarr, J.J., & Raad, I.I. (2002). Effectiveness of a multifaceted infection control policy in reducing vancomycin usage and vancomycin-resistant enterococci at a tertiary care cancer centre. *Journal of Hospital Infection*, 51(1), 52–58.
- Shelton, B.K. (2003). Evidence-based care for the neutropenic patient with leukemia. *Seminars in Oncology Nursing*, 19(2), 133–141.
- Siegel, J.D., Rhinehart, E., Jackson, M., Chiarello, L., and The Healthcare Infection Control Practices Advisory Committee. (2007). Guideline for isolation precautions: Preventing transmission of infectious agents in healthcare settings June 2007. Centers for Disease Control. Retrieved May 31, 2008 from <http://www.cdc.gov/ncidod/dhqp/pdf/guidelines/Isolation2007.pdf>.
- Siegel, J.D., Rhinehart, E., Jackson, M., Chiarello, L., and The Healthcare Infection Control Practices Advisory Committee. (2006). Management of multidrug-resistant organisms in healthcare settings Centers for Disease Control, 1-74. Retrieved May 31, 2008 from <http://www.cdc.gov/ncidod/dhqp/pdf/ar/mdroguideline2006.pdf>.
- Smith, C.M., & Kagan, S.H. (2005). Prevention of systemic mycoses by reducing exposure to fungal pathogens in hospitalized and ambulatory neutropenic patients. *Oncology Nursing Forum*, 32(3), 565–579.
- Smith, L.H., & Besser, S.G. (2000). Dietary restrictions for patients with neutropenia: A survey of institutional practices. *Oncology Nursing Forum*, 27, 515–520.
- Somerville, E.T. (1986). Special diets for neutropenic patients: Do they make a difference? *Seminars in Oncology Nursing*, 2(1), 55–58.
- Srinivasan, A., Song, X., Ross, T., Merz, W., Brower, R., & Perl, T.M. (2002). A prospective study to determine whether cover gowns in addition to gloves decrease nosocomial transmission of vancomycin-resistant enterococci in an intensive care unit. *Infection Control and Hospital Epidemiology*, 23(8), 424–428.
- Sung, L., Nathan, P.C., Alibhai, S.M.H., Tomlinson, G.A., & Beyene, J. (2007). Meta-analysis:

Prevention of Infection

References

- Effect of prophylactic hematopoietic colony-stimulating factors on mortality and outcomes of infection. *Annals of Internal Medicine*, 147(6), 400–411.
- Sung, L., Nathan, P.C., Lange, B., Beyene, J., & Buchanan, G.R. (2004). Prophylactic granulocyte colony-stimulating factor and granulocyte-macrophage colony-stimulating factor decrease febrile neutropenia after chemotherapy in children with cancer: A meta-analysis of randomized controlled trials. *Journal of Clinical Oncology*, 22(16), 3350–3356.
- Tablan, O.C., Anderson, L.J., Besser, R., Bridges, C., & Hajjeh, R. (2004). Guidelines for preventing health-care associated pneumonia, 2003: Recommendations of CDC and the Healthcare Infection Control Practices Advisory Committee. *Morbidity and Mortality Weekly Report*, 53(RR-3), 1–36.
- van de Wetering, M.D., de Witte, M.A., Kremer, L.C., Offringa, M., Scholten, R.J., & Caron, H.N. (2005). Efficacy of oral prophylactic antibiotics in neutropenic afebrile oncology patients: A systematic review of randomized controlled trials. *European Journal of Cancer*, 41(10), 1372–1382.
- Van Tiel, F.H., Harbers, M.M., Terporten, P.H.W., van Boxtel, R.T.C., Kessels, A.G., Voss, G.B.W.E., et al. (2007). Normal hospital and low-bacterial diet in patients with cytopenia after intensive chemotherapy for hematologic malignancy: A study of safety. *Annals of Oncology*, 18, 1080–1084.
- Wilson, B.J. (2002). Dietary recommendations for neutropenic patients. *Seminars in Oncology Nursing*, 18(1), 44–49.