



Sleep/Wake Disturbances

References

- Allison, P. J., Nicolau, B., Edgar, L., Archer, J., Black, M., & Hier, M. (2004). Teaching head and neck cancer patients coping strategies: results of a feasibility study. *Oral Oncol*, 40(5), 538-544.
- Arving, C., Sjoden, P. O., Bergh, J., Hellbom, M., Johansson, B., Glimelius, B., et al. (2007). Individual psychosocial support for breast cancer patients: a randomized study of nurse versus psychologist interventions and standard care. *Cancer Nurs*, 30(3), E10-19.
- Berger, A. M., VonEssen, S., Khun, B. R., Piper, B. F., Farr, L., Agrawal, S., et al. (2002). Feasibility of a sleep intervention during adjuvant breast cancer chemotherapy. *Oncol Nurs Forum*, 29(10), 1431-1441.
- Berger, A. M., VonEssen, S., Kuhn, B. R., Piper, B. F., Agrawal, S., Lynch, J. C., et al. (2003). Adherence, sleep, and fatigue outcomes after adjuvant breast cancer chemotherapy: results of a feasibility intervention study. *Oncol Nurs Forum*, 30(3), 513-522.
- Bozcuk, H., Artac, M., Kara, A., Ozdogan, M., Sualp, Y., Topcu, Z., et al. (2006). Does music exposure during chemotherapy improve quality of life in early breast cancer patients? A pilot study. *Med Sci Monit*, 12(5), CR200-205.
- Brooks, G.A., Fahey, T.D., Baldwin, K.M. & White, T.P. (2000). *Exercise physiology: Human bioenergetics and its applications*. Mountain View, CA: Mayfield.
- Cannici, J., Malcolm, R., & Peek, L. A. (1983). Treatment of insomnia in cancer patients using muscle relaxation training. *J Behav Ther Exp Psychiatry*, 14(3), 251-256.
- Carlson, L. E., & Garland, S. N. (2005). Impact of mindfulness-based stress reduction (MBSR) on sleep, mood, stress and fatigue symptoms in cancer outpatients. *Int J Behav Med*, 12(4), 278-285.
- Carlson, L. E., Speca, M., Patel, K. D., & Goodey, E. (2003). Mindfulness-based stress reduction in relation to quality of life, mood, symptoms of stress, and immune parameters in breast and prostate cancer outpatients. *Psychosom Med*, 65(4), 571-581.
- Carlson, L. E., Speca, M., Patel, K. D., & Goodey, E. (2004). Mindfulness-based stress reduction in relation to quality of life, mood, symptoms of stress and levels of cortisol, dehydroepiandrosterone sulfate (DHEAS) and melatonin in breast and prostate cancer outpatients. *Psychoneuroendocrinology*, 29(4), 448-474.
- Carpenter, J. S., Neal, J. G., Payne, J., Kimmick, G., & Storniolo, A. M. (2007a). Cognitive-behavioral intervention for hot flashes. *Oncol Nurs Forum*, 34(1), 37.
- Carpenter, J. S., Storniolo, A. M., Johns, S., Monahan, P. O., Azzouz, F., Elam, J. L., et al. (2007b). Randomized, double-blind, placebo-controlled crossover trials of venlafaxine for hot flashes after breast cancer. *Oncologist*, 12(1), 124-135.
- Classen, C., Butler, L.D., Koopman, C., Miller, E., DiMiceli, S., Giese-Davis, J. et al. (2001). Supportive-expressive group therapy and distress in patients with metastatic breast cancer: A randomized clinical intervention trial. *Archives of General Psychiatry*, 58, 494-501.
- Cohen, L., Warneke, C., Fouladi, R. T., Rodriguez, M. A., & Chaoul-Reich, A. (2004). Psychological adjustment and sleep quality in a randomized trial of the effects of a Tibetan yoga intervention in patients with lymphoma. *Cancer*, 100(10), 2253-2260.



Sleep/Wake Disturbances

References

- Cohen, M., Fried, G. (2007). Comparing Relaxation Training and Cognitive-Behavioral Group Therapy for Women with Breast Cancer. *Research on Social Work Practice, 17*(3), 313-323.
- Coleman, E. A., Coon, S., Hall-Barrow, J., Richards, K., Gaylor, D., & Stewart, B. (2003). Feasibility of exercise during treatment for multiple myeloma. *Cancer Nurs, 26*(5), 410-419.
- Courneya, K.S., Vallance, J.K., McNeely, M.L., Karvinen, K.H., Peddle, C.J. & Mackey, J.R. (2004). Exercise issues in older cancer survivors. *Critical Reviews Oncology Hematology, 51*,249-261.
- Dalton, J.A., Keefe, F.J., Carlson, J. & Youngblood, R. (2004). Tailoring cognitive-behavioral treatment for cancer pain. *Pain Management Nursing, 5* (1), 3-18.
- Davidson, J. R., Waisberg, J. L., Brundage, M. D., & MacLean, A. W. (2001). Nonpharmacologic group treatment of insomnia: a preliminary study with cancer survivors. *Psychooncology, 10*(5), 389-397.
- de Moor, C., Sterner, J., Hall, M., Warneke, C., Gilani, Z., Amato, R., et al. (2002). A pilot study of the effects of expressive writing on psychological and behavioral adjustment in patients enrolled in a Phase II trial of vaccine therapy for metastatic renal cell carcinoma. *Health Psychol, 21*(6), 615-619.
- Dirksen, S. R., & Epstein, D. R. (2008). Efficacy of an insomnia intervention on fatigue, mood and quality of life in breast cancer survivors. *J Adv Nurs, 61*(6), 664-675.
- Epstein, D. R., & Dirksen, S. R. (2007). Randomized trial of a cognitive-behavioral intervention for insomnia in breast cancer survivors. *Oncol Nurs Forum, 34*(5), E51-59.
- Espie, C. (2008). Randomized Controlled Clinical Effectiveness Trial of Cognitive Behavior Therapy Compared with Treatment as Usual for Persistent Insomnia in Patients With Cancer. *Journal of Clinical Oncology, In press*
- Fobair, P., Koopman, C., DiMiceli, S., O'Hanlan, K., Butler, L. D., Classen, C., et al. (2002). Psychosocial intervention for lesbians with primary breast cancer. *Psychooncology, 11*(5), 427-438.
- Kim, Y., Roscoe, J. A., & Morrow, G. R. (2002). The effects of information and negative affect on severity of side effects from radiation therapy for prostate cancer. *Support Care Cancer, 10*(5), 416-421.
- King, C. R. (1997). Nonpharmacologic management of chemotherapy-induced nausea and vomiting. *Oncol Nurs Forum, 24*(7 Suppl), 41-48.
- Medicine, N. C. f. C. a. A. (2007c). What is complementary and alternative medicine. Retrieved May 28, 2008, from <http://nccam.nih.gov/health/whatiscam/>
- Mock, V., Dow, K. H., Meares, C. J., Grimm, P. M., Dienemann, J. A., Haisfield-Wolfe, M. E., et al. (1997). Effects of exercise on fatigue, physical functioning, and emotional distress during radiation therapy for breast cancer. *Oncol Nurs Forum, 24*(6), 991-1000.
- Morin, C. M., Culbert, J. P., & Schwartz, S. M. (1994). Nonpharmacological interventions for insomnia: a meta-analysis of treatment efficacy. *Am J Psychiatry, 151*(8), 1172-1180.



Sleep/Wake Disturbances

References

- National Cancer Institut, (2008). Medications commonly used to promote sleep. Retrieved May 27, 2008, from http://www.cancer.gov/cancertopics/pdq/supportivecare/sleepdisorders/healthprofessional/allpages#Section_75
- National Center for Complementary and Alternative Medicine. (2005). Cancer clinical trials. Retrieved February 22, 2005, from <http://www.nccam.nih.gov/clinicaltrials/cancer>.
- National center for Complementary and Alternative Medicine (2006). What is complementary and alternative medicine? Retrieved March13, 2006 from <http://www.nccam.nih.gov/health/whatiscom/#d7>.
- Quesnel, C., Savard, J., Simard, S., Ivers, H., & Morin, C. M. (2003). Efficacy of cognitive-behavioral therapy for insomnia in women treated for nonmetastatic breast cancer. *J Consult Clin Psychol*, 71(1), 189-200.
- Rabin, C., Pinto, B., Nash, S., et al. (2008). Exercise and relaxation intervention for breast cancer survivors: feasibility, acceptability, and effects. *Psychooncology*, *In press*
- Savard, J., Simard, S., Giguere, I., Ivers, H., Morin, C. M., Maunsell, E., et al. (2006). Randomized clinical trial on cognitive therapy for depression in women with metastatic breast cancer: psychological and immunological effects. *Palliat Support Care*, 4(3), 219-237.
- Savard, J., Simard, S., Ivers, H., & Morin, C. M. (2005). Randomized study on the efficacy of cognitive-behavioral therapy for insomnia secondary to breast cancer, part I: Sleep and psychological effects. *J Clin Oncol*, 23(25), 6083-6096.
- Shapiro, S. L., Bootzin, R. R., Figueredo, A. J., Lopez, A. M., & Schwartz, G. E. (2003). The efficacy of mindfulness-based stress reduction in the treatment of sleep disturbance in women with breast cancer: an exploratory study. *J Psychosom Res*, 54(1), 85-91.
- Simeit, R., Deck, R., & Conta-Marx, B. (2004). Sleep management training for cancer patients with insomnia. *Support Care Cancer*, 12(3), 176-183.
- Smith, M.C., Kemp, J., Hemphill, L. & Vojir, C.P. (2002). Outcomes of therapeutic massage for hospitalized cancer patients. *Journal of Nursing Scholarship* 34,257-262.
- Smith, J. E., Richardson, J., Hoffman, C., & Pilkington, K. (2005). Mindfulness-Based Stress Reduction as supportive therapy in cancer care: systematic review. *J Adv Nurs*, 52(3), 315-327.
- Soden, K., Vincent, K., Craske, S., Lucas, C., & Ashley, S. (2004). A randomized controlled trial of aromatherapy massage in a hospice setting. *Palliat Med*, 18(2), 87-92.
- van den Berg, M., Visser, A., Schoolmeesters, A., Edelman, P., & van den Borne, B. (2006). Evaluation of haptotherapy for patients with cancer treated with chemotherapy at a day clinic. *Patient Educ Couns*, 60(3), 336-343.
- Vilela, L. D., Nicolau, B., Mahmud, S., Edgar, L., Hier, M., Black, M., et al. (2006). Comparison of psychosocial outcomes in head and neck cancer patients receiving a coping strategies intervention and control subjects receiving no intervention. *J Otolaryngol*, 35(2), 88-96.



Sleep/Wake Disturbances

References

- Weze, C., Leathard, H. L., Grange, J., Tiplady, P., & Stevens, G. (2004). Evaluation of healing by gentle touch in 35 clients with cancer. *Eur J Oncol Nurs*, 8(1), 40-49.
- Wright, S., Courtney, U., & Crowther, D. (2002). A quantitative and qualitative pilot study of the perceived benefits of autogenic training for a group of people with cancer. *Eur J Cancer Care (Engl)*, 11(2), 122-130.
- Williams, S.A. & Schreier, A.M. (2005). The role of education in managing fatigue, anxiety, and sleep disorders in women undergoing chemotherapy for breast cancer. *Applied Nursing Research*, 18, 138-147.
- Young-McCaughan, S., Mays, M. Z., Arzola, S. M., Yoder, L. H., Dramiga, S. A., Leclerc, K. M., et al. (2003). Research and commentary: Change in exercise tolerance, activity and sleep patterns, and quality of life in patients with cancer participating in a structured exercise program. *Oncol Nurs Forum*, 30(3), 441-454; discussion 441-454.